

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5934	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L2	37250	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L3	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L4	87646	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L5	11956	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L6	1509	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L7	1	L1 and L2 and L3 and (L5 L6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L8	2	L2 same L3 same L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L9	1	L3 same L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L10	16760	L2 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L11	1995	L10 and (L5 L6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L12	118	L11 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L13	81	L12 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L14	10963	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L15	3	L13 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L16	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L17	1	L16 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L18	1	L3 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L19	11	L3 and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L20	7	L19 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L21	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L22	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L23	0	L21 and L22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L24	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L25	0	L21 and L24 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L26	668	L14 with L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L27	9	L26 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L28	1	L27 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L29	5934	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L30	37250	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L31	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L32	87646	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L33	11956	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L34	1509	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L35	1	L29 and L30 and L31 and (L33 L34)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L36	2	L30 same L31 same L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L37	1	L31 same L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L38	16760	L30 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L39	1995	L38 and (L33 L34)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L40	118	L39 and L29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L41	81	L40 and L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L42	10963	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L43	3	L41 and L42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L44	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L45	1	L44 and L29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L46	1	L31 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L47	11	L31 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L48	7	L47 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L49	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L50	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L51	0	L49 and L50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L52	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L53	0	L49 and L52 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L54	668	L42 with L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04



L55	9	L54 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L56	1	L55 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L57	2	("5909570" "7287018").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L58	186	parsing near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L59	5934	(707/101,102 715/234,239).ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L60	2	L58 and L59 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L61	2659	709/202.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L62	1	L31 and (L59 L61)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L63	1	L62 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L64	20	L58 and (L59 L61)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L65	10	L64 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L66	67	L32 same L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L67	0	L66 and L58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L68	3	L66 and (L59 L61) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L69	5934	(707/101,102 715/234,239).ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L70	37250	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L71	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L72	87646	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L73	11956	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L74	1509	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L75	1	L69 and L70 and L71 and (L73 L74)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L76	2	L70 same L71 same L72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L77	1	L71 same L74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L78	16760	L70 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L79	1995	L78 and (L73 L74)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L80	118	L79 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L81	81	L80 and L72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L82	10963	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L83	3	L81 and L82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L84	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L85	1	L84 and L69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L86	1	L71 and L74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L87	11	L71 and L73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L88	7	L87 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L89	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L90	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L91	0	L89 and L90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L92	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L93	0	L89 and L92 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L94	668	L82 with L72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L95	9	L94 and L74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L96	1	L95 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L97	5934	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L98	37250	(convert\$3 transform\$4 format\$4) with template\$1 (schema XML descriptor\$1) with (parsing parser agent \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L99	75	pattern adj1 descriptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L100	87646	XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L101	11956	generating with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L102	1509	template adj1 library	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L103	1	L97 and L98 and L99 and (L101 L102)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L104	2	L98 same L99 same L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L105	1	L99 same L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L106	16760	L98 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L107	1995	L106 and (L101 L102)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L108	118	L107 and L97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L109	81	L108 and L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L110	10963	(common native) adj1 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04



L111	3	L109 and L110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L112	21	(select\$5 choice determining brows\$4 navigating navigation click\$3 interface GUI) with L99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L113	1	L112 and L97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L114	1	L99 and L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L115	11	L99 and L101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L116	7	L115 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L117	0	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L118	200	descript\$4 same template\$1 same pattern\$1 same format\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L119	0	L117 and L118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L120	277	pars\$4 with (source\$1 resource\$1 provider\$1) with template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L121	0	L117 and L120 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L122	668	L110 with L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L123	9	L122 and L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L124	1	L123 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L125	2	("5909570" "7287018").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L126	186	parsing near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L127	5934	(707/101,102 715/234,239).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L128	2	L126 and L127 and @ad< "20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L129	2659	709/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L130	1	L99 and (L127 L129)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L131	1	L130 and @ad< "20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L132	20	L126 and (L127 L129)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L133	10	L132 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L134	67	L100 same L102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L135	0	L134 and L126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L136	3	L134 and (L127 L129) and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L137	7172	(707/796,803,804,805,807,809,810,811 715/234,239). ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L138	20	L70 and L71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L139	1	L137 and L138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L140	682	L73 same descript\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L141	31	L137 and L140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L142	14	L141 and @ad<"20031104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L143	2117192	pattern\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L144	3	L142 and L143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04
L145	1	L84 and L90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:04

L146	7517	(707/796,803,804,805,807,809,810,811 715/234,235,239).ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:39
L147	6	{3 near5 (select\$3 menu option\$1 interface library click \$3 apply\$3 (graphical adj1 user adj1 interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:42
L148	1	L147 and @ad< "20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:42
L149	1	{31 with (schema XML library bin\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:43
L150	15425	(generating creating defining) near4 template\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:44
L151	313	(parsing parser) near3 agent\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:46
L152	1	{146 and {150 and {151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:51

L153	6	I6 and I22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:53
L154	0	L153 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 18:53
L166	1	"7200805".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:05
L167	0	I151 and I166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:06
L168	0	I143 and I166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:06
L169	5	(user-defined defining selecting menu option\$1 library) near4 I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:09
L170	3	L169 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:09

L171	561	template\$1 with (XML schema) with (descript\$4 pattern \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:11
L172	80	l171 and l146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:11
L173	80	l172 and (library bin\$1 XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:12
L174	23	l172 and (library bin\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:12
L175	9	L174 and @ad<"20031114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:13
L176	0	l151 and l175	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/11/30 19:16

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
-------	------	--------------	-----	------------------	---------	------------



L155	119	(parsing parser) near3 agent\$1	USPAT; UPAD	OR	OFF	2010/11/30 18:53
L156	11	(pattern adj1 descriptor\$1).clm.	USPAT; UPAD	OR	OFF	2010/11/30 18:53
L157	9	L156 and @ad<"20031114"	USPAT; UPAD	OR	OFF	2010/11/30 18:54
L158	15374	template\$1.clm.	USPAT; UPAD	OR	OFF	2010/11/30 18:54
L159	1	I157 and I158	USPAT; UPAD	OR	OFF	2010/11/30 18:55
L160	2670	((selecting generating receiving accessing) near5 template \$1).clm.	USPAT; UPAD	OR	OFF	2010/11/30 18:57
L161	4150	(707/796,803,804,805,807,809,810,811 715/234,235,239).cls.	USPAT; UPAD	OR	OFF	2010/11/30 18:58
L162	125	I161 and I160 and (I158 I156 I155)	USPAT; UPAD	OR	OFF	2010/11/30 18:59
L163	73	L162 and @ad<"20031114"	USPAT; UPAD	OR	OFF	2010/11/30 18:59
L164	246099	(interface screen GUI).clm.	USPAT; UPAD	OR	OFF	2010/11/30 19:00
L165	38	I163 and I164	USPAT; UPAD	OR	OFF	2010/11/30 19:00

11/30/2010 7:18:12 PM

C:\Documents and Settings\grobison\My Documents\EAST\Workspaces\10714541.wsp